

Releasable Ties – Pawl


CABLE TIE EXPRESS PART NUMBER	LENGTH INCHES	TENSILE STRENGTH	TIE COLOR	PACKAGE QUANTITY	CARTON QUANTITY	WIDTH INCHES	MAX. BUNDLE DIAMETER IN.
----------------------------------	------------------	---------------------	--------------	---------------------	--------------------	-----------------	-----------------------------

40 AND 50 LB NATURAL

4R-40-N-100	4.0	40 lbs	Natural	100	20000	.14	1.0
4R-40-N-1000	4.0	40 lbs	Natural	1000	20000	.14	1.0
6R-50-N-100	6.0	50 lbs	Natural	100	10000	.19	1.5
6R-50-N-1000	6.0	50 lbs	Natural	1000	10000	.19	1.5
8R-50-N-100	8.0	50 lbs	Natural	100	5000	.19	2.0
8R-50-N-1000	8.0	50 lbs	Natural	1000	5000	.19	2.0
11R-50-N-100	11.0	50 lbs	Natural	100	5000	.19	3.0
11R-50-N-500	11.0	50 lbs	Natural	500	5000	.19	3.0
14R-50-N-100	14.0	50 lbs	Natural	100	5000	.19	4.0
14R-50-N-500	14.0	50 lbs	Natural	500	5000	.19	4.0

40 AND 50 LB UV BLACK

4R-40-UV-100	4.0	40 lbs	UV Black	100	20000	.14	1.0
4R-40-UV-1000	4.0	40 lbs	UV Black	1000	20000	.14	1.0
6R-50-UV-100	6.0	50 lbs	UV Black	100	10000	.19	1.5
6R-50-UV-1000	6.0	50 lbs	UV Black	1000	10000	.19	1.5
8R-50-UV-100	8.0	50 lbs	UV Black	100	5000	.19	2.0
8R-50-UV-1000	8.0	50 lbs	UV Black	1000	5000	.19	2.0
11R-50-UV-100	11.0	50 lbs	UV Black	100	5000	.19	3.0
11R-50-UV-500	11.0	50 lbs	UV Black	500	5000	.19	3.0
14R-50-UV-100	14.0	50 lbs	UV Black	100	5000	.19	4.0
14R-50-UV-500	14.0	50 lbs	UV Black	500	5000	.19	4.0



Releasable Ties – Tab


CABLE TIE EXPRESS PART NUMBER	LENGTH INCHES	TENSILE STRENGTH	TIE COLOR	PACKAGE QUANTITY	CARTON QUANTITY	WIDTH INCHES	MAX. BUNDLE DIAMETER IN.
-------------------------------	---------------	------------------	-----------	------------------	-----------------	--------------	--------------------------

50 LB NATURAL

4RT-50-N-100	4.0	50 lbs	Natural	100	20000	.30	1.1
4RT-50-N-1000	4.0	50 lbs	Natural	1000	20000	.30	1.1
6RT-50-N-100	6.0	50 lbs	Natural	100	10000	.30	1.4
6RT-50-N-1000	6.0	50 lbs	Natural	1000	10000	.30	1.4
8RT-50-N-100	8.0	50 lbs	Natural	100	5000	.31	2.0
8RT-50-N-1000	8.0	50 lbs	Natural	1000	5000	.31	2.0
11RT-50-N-100	11.0	50 lbs	Natural	100	5000	.31	3.1
11RT-50-N-500	11.0	50 lbs	Natural	500	5000	.31	3.1

50 LB UV BLACK

4RT-50-UV-100	4.0	50 lbs	UV Black	100	20000	.30	1.1
4RT-50-UV-1000	4.0	50 lbs	UV Black	1000	20000	.30	1.1
6RT-50-UV-100	6.0	50 lbs	UV Black	100	10000	.30	1.4
6RT-50-UV-1000	6.0	50 lbs	UV Black	1000	10000	.30	1.4
8RT-50-UV-100	8.0	50 lbs	UV Black	100	5000	.31	2.0
8RT-50-UV-1000	8.0	50 lbs	UV Black	1000	5000	.31	2.0
11RT-50-UV-100	11.0	50 lbs	UV Black	100	5000	.31	3.1
11RT-50-UV-500	11.0	50 lbs	UV Black	500	5000	.31	3.1



Define & ORGANIZE

There are three designs to our Releasable Ties — “Releasable Pawl Ties” (page 22) which have an extended thumb tab, “Releasable Tab Ties” (page 23) which have a larger horizontal tab feature, and “Releasable Lashing Ties” (page 24) with a 250 lb tensile strength. Find the option just right for your application requirements.

Releasable Ties – Lashing

CABLE TIE EXPRESS PART NUMBER	LENGTH INCHES	TENSILE STRENGTH	TIE COLOR	PACKAGE QUANTITY	CARTON QUANTITY	WIDTH INCHES	MAX. BUNDLE DIAMETER IN.
----------------------------------	------------------	---------------------	--------------	---------------------	--------------------	-----------------	-----------------------------

250 LB NATURAL

9RL-250-N-100	9.5	250 lbs	Natural	100	2000	.50	2.2
12RL-250-N-100	11.8	250 lbs	Natural	100	2000	.50	3.0
16RL-250-N-100	16.0	250 lbs	Natural	100	1000	.50	4.5
19RL-250-N-100	19.0	250 lbs	Natural	100	1000	.50	5.5
23RL-250-N-100	23.0	250 lbs	Natural	100	1000	.50	6.8

250 LB UV BLACK

9RL-250-UV-100	9.5	250 lbs	UV Black	100	2000	.50	2.2
12RL-250-UV-100	11.8	250 lbs	UV Black	100	2000	.50	3.0
16RL-250-UV-100	16.0	250 lbs	UV Black	100	1000	.50	4.5
19RL-250-UV-100	19.0	250 lbs	UV Black	100	1000	.50	5.5
23RL-250-UV-100	23.0	250 lbs	UV Black	100	1000	.50	6.8

